

LED WORK LIGHT





WB4-F2D-10

Power:10w
Beam:
Size(LxHxT):
Number per ctn:
Ctn size:



WB5-F2D-10

Power:10w
Beam:
Size(LxHxT):
Number per ctn:
Ctn size:



WAA7B-10

Power:10W
Beam:Spot/Flood
Size(LxHxT):53x80x53mm
(2 inch)
Number per ctn:100
Ctn size:43.5x33x38.5cm



WAF3-15

Power:15W
Beam:Spot
Size(LxHxT):70x92x48mm
(3 inch)
Number per ctn:50
Ctn size:34.5x32x26cm



WBB8-20

Power:20W
Beam:Spot/Flood
Size(LxHxT):77x45x48mm
(3 inch)
Number per ctn:
Ctn size:



NBC0-20

Power:20W
Beam:Spot
Size(LxHxT):
Number per ctn:
Ctn size:



WBC1-20

Power:20W
Beam:Spot
Size(LxHxT):
Number per ctn:
Ctn size:



WDB1-20

Power:20W
Beam:Spot
Size(LxHxT):3 inch
Number per ctn:
Ctn size:



WDB9A

Power:
Beam:Hi-Low beam
Size(LxHxT):
Number per ctn:
Ctn size:



WDB9B

Power:
Beam:Hi-Low beam
Size(LxHxT):
Number per ctn:
Ctn size:



WDD6-AF

Power:
Beam:Spot
Size(LxHxT):3 inch
Number per ctn:
Ctn size:



WDD7-AF

Power:
Beam:Spot
Size(LxHxT):3 inch
Number per ctn:
Ctn size:



NDD8A-60

Power:60W
Beam:
Size(LxHxT):
Number per ctn:
Ctn size:



NDD8B-F4

Power:
Beam:
Size(LxHxT):
Number per ctn:
Ctn size:



WDD8C-F5

Power:
Beam:
Size(LxHxT):
Number per ctn:
Ctn size:



NDD8D-F6

Power:
Beam:
Size(LxHxT):
Number per ctn:
Ctn size:



WDE2-F3D

Power:
Beam:Spot
Size(LxHxT):
Number per ctn:
Ctn size:



NDE4-F2

Power:
Beam:
Size(LxHxT):
Number per ctn:
Ctn size:



WDE4-F3

Power:
Beam:
Size(LxHxT):
Number per ctn:
Ctn size:



NDE7-F

Power:
Beam:Spot
Size(LxHxT):
Number per ctn:
Ctn size:



WDF4A

Power:
Beam:Spot
Size(LxHxT):3 inch
Number per ctn:
Ctn size:



WDF4C

Power:
Beam:Spot
Size(LxHxT):3 inch
Number per ctn:
Ctn size:



NDF4I

Power:
Beam:Spot
Size(LxHxT):3 inch
Number per ctn:
Ctn size:



WDF4J

Power:
Beam:Spot
Size(LxHxT):3 inch
Number per ctn:
Ctn size:



WDF4K

Power:
Beam:Spot
Size(LxHxT):
Number per ctn:
Ctn size:



NDF5-20

Power:20W
Beam:Spot
Size(LxHxT):
Number per ctn:
Ctn size:



WDF9

Power:
Beam:Spot
Size(LxHxT):
Number per ctn:
Ctn size:



WDG0

Power:
Beam:Spot
Size(LxHxT):
Number per ctn:
Ctn size:



WDG1-30

Power:30W
Beam:Spot
Size(LxHxT):
Number per ctn:
Ctn size:



WDG7

Power:
Beam:
Size(LxHxT):
Number per ctn:
Ctn size:



WEA6-F

Power:
Beam:
Size(LxHxT):
Number per ctn:
Ctn size:



NEB7-F

Power:
Beam:
Size(LxHxT):
Number per ctn:
Ctn size:



WDF4-KF

Power:
Beam:
Size(LxHxT):
Number per ctn:
Ctn size:



NDG2-AF

Power:
Beam:
Size(LxHxT):
Number per ctn:
Ctn size:



NDG3-AF

Power:
Beam:
Size(LxHxT):
Number per ctn:
Ctn size:



VI9-F24

Power:24W
Beam:Spot/Flood
Size(LxHxT):168x44x62mm
(7 inch)
Number per ctn:40
Ctn size:34.5x32x30.5cm



WAZ4B-50

Power:50W
Beam:
Size(LxHxT):
Number per ctn:
Ctn size:



WDF4B

Power:
Beam:Spot
Size(LxHxT):
Number per ctn:
Ctn size:



WDF4F

Al housing
Power:
Beam:Spot
Size(LxHxT):
Number per ctn:
Ctn size:



WDC1

Power:
Beam:Hi-Low beam
Size(LxHxT):
Number per ctn:
Ctn size:



WEC3

Power:
Beam:
Size(LxHxT):
Number per ctn:
Ctn size:



WDD9

Power:
Beam:
Size(LxHxT):
Number per ctn:
Ctn size:



WAZ4A-50

Power:50W
Beam:
Size(LxHxT):
Number per ctn:
Ctn size:



NAA7A-10

Power:10W
Beam:Spot/Flood
Size(LxHxT):53x80x53mm
(2 inch)
Number per ctn:100
Ctn size:43.5x33x38.5cm



NDB9AS

Power:
Beam:Hi-Low beam
Size(LxHxT):
Number per ctn:
Ctn size:



WDD8

Power:
Beam:
Size(LxHxT):
Number per ctn:
Ctn size:



NDF4D

Power:
Beam:Spot(7 color)
Size(LxHxT):3 inch
Number per ctn:
Ctn size:



WDF4E

Power:
Beam:Spot
Size(LxHxT):3 inch
Number per ctn:
Ctn size:



WDF4G

Plastic housing
 Power:
 Beam:Spot
 Size(LxHxT):
 Number per ctn:
 Ctn size:



NDF4HA

Power:
 Beam:
 Size(LxHxT):
 Number per ctn:
 Ctn size:



NDF4HB

Power:
 Beam:Spot
 Size(LxHxT):3 inch
 Number per ctn:
 Ctn size:



NDF4HC

Power:
 Beam:Spot
 Size(LxHxT):3 inch
 Number per ctn:
 Ctn size:



NDF4L

Power:
 Beam:Spot
 Size(LxHxT):3 inch
 Number per ctn:
 Ctn size:



WDF9A

Power:
 Beam:
 Size(LxHxT):
 Number per ctn:
 Ctn size:



NDE0C-30

Power:30W
Beam:Red,Blue
Size(LxHxT):
Number per ctn:
Ctn size:



NDE0-30

Power:30W
Beam:Red,Blue
Size(LxHxT):
Number per ctn:
Ctn size:



WDI4-AF

Power:
Beam:Red,Blue(Spot)
Size(LxHxT):
Number per ctn:
Ctn size:



NDI4-BF

Power:
Beam:Red,Blue(Arrow)
Size(LxHxT):
Number per ctn:
Ctn size:



WDI5-F

Power:
Beam:
Size(LxHxT):
Number per ctn:
Ctn size:



WDI6-F

Power:
Beam:Red,Blue
Size(LxHxT):
Number per ctn:
Ctn size:



WDI8-BF

Power:
Beam:Red,Blue
Size(LxHxT):
Number per ctn:
Ctn size:



VDI8-F

Power:
Beam:Red,Blue
Size(LxHxT):
Number per ctn:
Ctn size:





NDI9-30

Power:30W
Beam:Red,Blue
Size(LxHxT):
Number per ctn:
Ctn size:



WEZ1-30

Power:30W
Beam:Red,Blue
Size(LxHxT):
Number per ctn:
Ctn size:



NEZ2-30

Power:30W
Beam:Red,Blue
Size(LxHxT):
Number per ctn:
Ctn size:



WEZ7-30

Power:30W
Beam:Red,Blue(Arrow)
Size(LxHxT):
Number per ctn:
Ctn size:



NZ7-30-7G

Power:30W
Beam:Red,Blud
Size(LxHxT):158x46x62mm
(6 inch)
Number per ctn:50
Ctn size:35.5x27x40cm



NZ7-30-30G

Power:30W
Beam:Red,Blud
Size(LxHxT):158x46x62mm
(6 inch)
Number per ctn:50
Ctn size:35.5x27x40cm



WZ7-30-31G

Power:30W
Beam:Red,Blud
Size(LxHxT):158x46x62mm
(6 inch)
Number per ctn:50
Ctn size:35.5x27x40cm



NDE0B-30

Power:30W
Beam:Red,Blue(Arrow)
Size(LxHxT):
Number per ctn:
Ctn size:




NF8-20

Power:20W
Beam:Red,Blue(Spot beam)
Size(LxHxT):138x125x87mm
(5.5 inch)
Number per ctn:12
Ctn size:34.5x32x26cm




WEZ3-20

Power:20W
Beam:Red,Blue
Size(LxHxT):
Number per ctn:
Ctn size:



WEZ4-40

Power:40W
Beam:Red,Blue
Size(LxHxT):
Number per ctn:
Ctn size:



WEZ5-20

Power:20W
Beam:Red,Blue(Spot)
Size(LxHxT):
Number per ctn:
Ctn size:



WEZ6-10

Power:10W
Beam:Red,Blue(Spot)
Size(LxHxT):
Number per ctn:
Ctn size:



WEA0

Power:
Beam:Red,Blue
Size(LxHxT):
Number per ctn:
Ctn size:



NEA9

Power:
Beam:Red,Blue(Spot)
Size(LxHxT):
Number per ctn:
Ctn size:



WEB0

Power:
Beam:Red,Blue(Spot)
Size(LxHxT):
Number per ctn:
Ctn size:




WEB1

Power:
Beam:Red,Blue
Size(LxHxT):
Number per ctn:
Ctn size:



NDI7

Power:
Beam:Red,Blue
Size(LxHxT):
Number per ctn:
Ctn size:





WAZ1A-45

Power:45W
Beam:Hi-low beam
Size(LxHxT):180x180x71mm
(7 inch)
Number per ctn:18
Ctn size:38.5x52.5x26cm



WAZ1D-75

Power:75W
Beam:Hi-low beam
Size(LxHxT):180x180x85mm
(7 inch)
Number per ctn:8
Ctn size:42x42x28cm



WAC5-30

Power:30W
Beam:Fog light
Size(LxHxT):125x100x85mm
(5 inch)
Number per ctn:8
Ctn size:34.5x32x28cm



WAC5B-30

Power:30W
Beam:Fog light
Size(LxHxT):125x100x85mm
(5 inch)
Number per ctn:8
Ctn size:34.5x32x28cm



WAZ0A-60

Power:60W
Beam:Hi-Low beam
Size(LxHxT):180x180x90mm
(7 inch)
Thick:90/71mm
Number per ctn:8
Ctn size:43x37.5x35.5cm



WAZ0B-60

Power:60W
Beam:Hi-Low beam
Size(LxHxT):180x180x90mm
(7 inch)
Thick:90/71mm
Number per ctn:8
Ctn size:43x37.5x35.5cm



WAZ0C-40

Power:40W
Beam:Hi-Low beam
Size(LxHxT):180x180x90mm
(7 inch)
Thick:90/71mm
Number per ctn:8
Ctn size:43x37.5x35.5cm



LED Work Lights

www.cnhareru.com



WAD5-15



Power:12W
Beam:Spot/Flood
Size(LxHxT):76x53x49mm
(3 inch)
Number per ctn:50
Ctn size:34.5x32x26cm

WAE2-25



Power:25W
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:
Ctn size:

NDE5-F36



Power:36W
Beam:
Size(LxHxT):4 inch
Number per ctn:
Ctn size:

NDE6-F36



Power:36W
Beam:
Size(LxHxT):4 inch
Number per ctn:
Ctn size:

WAZ9-F48



Power:48W
Beam:Spot/Flood
Size(LxHxT):137x150x66mm
(5 inch)
Number per ctn:16
Ctn size:34.5x32x26cm

WAA0-F45



Power:45W
Beam:Spot/Flood
Size(LxHxT):99x76mm
(4 inch)
Thick:79/65mm
Number per ctn:24
Ctn size:34.5x32x28cm

WAB8-F20



Power:20W
Beam:Spot/Flood
Size(LxHxT):87x90x92mm
Number per ctn:12
Ctn size:

WAC3-F



Power:
Beam:
Size(LxHxT):
Number per ctn:
Ctn size:



WAD3-60

Power:60W
Beam:Spot
Size(LxHxT):124x134x50mm
(5 inch)
Number per ctn:16
Ctn size:34.5x32x36cm



WAD4-F10

Power:10W
Beam:Spot/Flood
Size(LxHxT):76x53x49mm
Number per ctn:50
Ctn size:34.5x32x26mm



WAD7-F15

Power:15W
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:20
Ctn size:11.4x20x10cm



NAF1-12(Flash)

Power:12W
Beam:Spot/Flood
Size(LxHxT):96x120x50mm
(4 inch)
Number per ctn:
Ctn size:



WAF2A-40

Power:40W
Beam:Spot
Size(LxHxT):150x180x90mm
(6 inch)
Number per ctn:
Ctn size:



WAF4-F9

Power:9W
Beam:Spot
Color:Red,Green,White
Size(LxHxT):87x33x33mm
(3 inch)
Number per ctn:50
Ctn size:34.5x32x26cm



WAG0-120

Power:120W
Beam:Spot
Size(LxHxT):170x168x50mm
(7 inch)
Number per ctn:12
Ctn size:39.5x38x22cm



WAI4A-75

Power:75W
Beam:Spot/Flood
Size(LxHxT):225x250x270mm
(9 inch)
Number per ctn:10
Ctn size:52x34x24.5cm



WAI4B-114

Power:114W
Color:Red,Black,Purple
Beam:Spot/Flood
Size(LxHxT):224x250x270mm
(9 inch)
Number per ctn:10
Ctn size:52x34x24.5cm



WAI9-A40

Power:40W
Beam:
Size(LxHxT):
Number per ctn:
Ctn size:



WAI9B-40

Power:40W
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:
Ctn size:



NBZ0B-36

Power:36W
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:
Ctn size:



WBZ0-C48

Power:48W
Beam:
Size(LxHxT):
Number per ctn:
Ctn size:



NBZ0-D54

Power:54W
Beam:
Size(LxHxT):
Number per ctn:
Ctn size:



WBC7-F18

Power:18W
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:
Ctn size:



WCZ0-24

Power:24W
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:
Ctn size:



WCE0-100

Power:100W
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:
Ctn size:



WDZ7-123

Power:123W
Beam:Spot/Flood
Size(LxHxT):4 inch
Number per ctn:
Ctn size:



WDZ8-99

Power:99W
Beam:Spot/Flood
Size(LxHxT): 4 inch
Number per ctn:
Ctn size:



WDA7A-126

Power:126W
Beam:Spot/Flood
Size(LxHxT):4 inch
Number per ctn:
Ctn size:



WDC0

Power:
Beam:Hi-Low beam
Size(LxHxT):
Number per ctn:
Ctn size:



WDC2-F

Power:
Beam:Hi-Low beam
Size(LxHxT):
Number per ctn:
Ctn size:



MDC5A-18

Power:18W
Beam:Spot
Size(LxHxT):
Number per ctn:
Ctn size:



WDC7-90

Power:90W
Beam:Hi-Low beam
Size(LxHxT):7 inch
Number per ctn:
Ctn size:



MDD0-60

Power:60W
Beam:
Size(LxHxT):
Number per ctn:
Ctn size:



NDE0A

Power:
Beam:
Size(LxHxT):
Number per ctn:
Ctn size:



WDH7-F

Power:
Beam:Spot/Flood
Size(LxHxT):7 inch
Number per ctn:
Ctn size:



NDH5-F

Power:
Beam:Spot/Flood
Size(LxHxT):9 inch
Number per ctn:
Ctn size:



WDG5-F7G

Power:
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:
Ctn size:



WDZ6-144

Power:144W
Beam:Spot/Flood
Size(LxHxT):4 inch
Number per ctn:
Ctn size:



WDZ9-27

Power:27W
Beam:Spot/Flood
Size(LxHxT):4 inch
Number per ctn:
Ctn size:



WDA2-27

Power:27W
Beam:Spot/Flood
Size(LxHxT):4 inch
Number per ctn:
Ctn size:



WDA3-102

Power:102W
Beam:Spot/Flood
Size(LxHxT):4 inch
Number per ctn:
Ctn size:



WEB6-F

Power:
Beam:
Size(LxHxT):
Number per ctn:
Ctn size:



WZ9-F18

Power:18W
Beam:Spot/Flood
Size(LxHxT):114x91x53mm
(4 inch)
Thick:46/47/53mm
Number per ctn:20
Ctn size:34.5x32x26cm



WAE3-27

Power:27W
Beam:Spot/Flood
Size(LxHxT):76x94x33mm
(3 inch)
Number per ctn:50
Ctn size:34.5x32x26cm



WAE5-27

Power:27W
Beam:Spot/Flood
Size(LxHxT):152x57x53mm
(6 inch)
Number per ctn:50
Ctn size:54.5x29.5x25.5cm



WA7-F36

Power:36W
Beam:Spot/Flood
Size(LxHxT):175x158x74mm
(7 inch)
Number per ctn:12
Ctn size:37.5x30.5x29cm



WA8-F3G-45

Power:45W
Beam:Spot/Flood
Size(LxHxT):139x175mm
(7 inch)
Thick:90/60mm
Number per ctn:16
Ctn size:48x35x38.5



WA9-F3G-60

Power:60W
Beam:Spot/Flood
Size(LxHxT):180x210mm
(7 inch)
Thick:100/60mm
Number per ctn:8
Ctn size:53.5x43x35.5cm



WB1-F90

Power:90W
Beam:Spot/Flood
Size(LxHxT):135x170x123mm
(5 inch)
Number per ctn:8
Ctn size:43x37.5x35.5cm



WB2-F48

Power:48W
Beam:Spot/Flood
Size(LxHxT):124x147mm
(5 inch)
Thick:58/90mm
Number per ctn:12
Ctn size:34.5x32x28cm



WB3-40

Power:40W
Beam:Spot/Flood
Size(LxHxT):124x147mm
(5 inch)
Thick:87/56mm
Number per ctn:12
Ctn size:34.5x32x28



NB7-F42

Power:27W
Beam:Spot/Flood
Size(LxHxT):117x138mm
Thick:30/35/55/60/69/73mm
Number per ctn:20
Ctn size:34.5x32x26cm



WB9-F48

Power:48W
Beam:Spot/Flood
Size(LxHxT):108x138mm
Thick:30/35/50/55/59
/66/69mm
Number per ctn:20
Ctn size:34.5x32x26cm



WC4-F45

Power:45W
Beam:Spot/Flood
Size(LxHxT):160x178x76mm
(7 inch)
Number per ctn:12
Ctn size:37.5x30.5x29cm



WC8-F24

Power:24W
Beam:Spot/Flood
Size(LxHxT):139X125mm
(5 inch)
Thick:45/61/65mm
Number per ctn:20
Ctn size:34.5x32x26cm



ND1A-F45

Power:45W
Beam:Hi-Low beam
Size(LxHxT):168x108x78mm
(7 inch)
Thick:78/70/45mm
Number per ctn:12
Ctn size:37.5x30.5x29cm



ND6-F80

Power:80w
Beam:Spot/Flood
Size(LxHxT):140x190x91mm
(5 inch)
Number per ctn:6
Ctn size:37.5x31x21.5cm



NF1-F50

Power:50w
Beam:Spot/Flood
Size(LxHxT):125x136mm
(5 inch)
Thick:57/86mm
Number per ctn:12
Ctn size:34.5x32x26cm



WAE6A-36

Power:36W
Beam:Spot/Flood
Size(LxHxT):158x70x51mm
(5 inch)
Number per ctn:50
Ctn size:34.5x32x34cm



WAE6B-36

Power:36W
Beam:Spot/Flood
Size(LxHxT):158x70x51mm
(5 inch)
Number per ctn:50
Ctn size:34.5x32x34cm



NAE8F-51

Power:51W
Beam:Spot/Flood
Size(LxHxT):78x95x118mm
Number per ctn:60
Ctn size:57.5x27.5x47.5cm



WAF2B-40

Power:40W
Beam:Spot
Size(LxHxT):150x180x90mm
(6 inch)
Number per ctn:
Ctn size:



WAF2C-40

Power:40W
Beam:Spot
Size(LxHxT):150x180x90mm
(6 inch)
Number per ctn:
Ctn size:



WAF9-54

Power:54W
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:
Ctn size:45x44x22cm



WAG5-40

Power:40w
Beam:Spot/Flood
Size(LxHxT):165x230x80mm
(7 inch)
Number per ctn:12
Ctn size:58.5x52.5x26cm



WAG7-18

Power:18w
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:
Ctn size:



WAG7B-24

Power:24W
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:
Ctn size:



WAH3-24

Power:24W
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:20
Ctn size:45x44x22cm



WAH9-144

Power:144W
Beam:Spot/Flood
Size(LxHxT):168x108x70mm
(6 inch)
Number per ctn:20
Ctn size:37.5x30.5x29cm



NBE0-27

Power:27W
Beam:Spot/Flood
Size(LxHxT):77x97x46mm
(3 inch)
Number per ctn:
Ctn size:



WAI8A-40

Power:40W
Beam:Spot/Flood
Size(LxHxT):130x145x155mm
(5 inch)
Number per ctn:16
Ctn size:69.6x41.5x32cm



WAI8B-40

Power:40W
Beam:Spot/Flood
Size(LxHxT):130x145x155mm
(5 inch)
Number per ctn:16
Ctn size:69.6x41.5x32cm



WAI9C-40

Power:40w
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:
Ctn size:



WBI1-21

Power:21w
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:
Ctn size:



NBZ0A-40

Power:24W
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:
Ctn size:



WBI6-18

Power:18W
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:
Ctn size:

WBZ0D-60

Power:60W
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:
Ctn size:



WCE4

Power:
Beam:Flood
Size(LxHxT):
Number per ctn:
Ctn size:



WDZ5-192

Power:192W
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:
Ctn size:



WDA4-102

Power:102W
Beam:Spot/Flood
Size(LxHxT):4 inch
Number per ctn:
Ctn size:





WDA5-60

Power:60w
Beam:Spot/Flood
Size(LxHxT):4 inch
Number per ctn:
Ctn size:



WDA6-117

Power:117w
Beam:Spot/Flood
Size(LxHxT):4 inch
Number per ctn:
Ctn size:



WDA7B-126

Power:126W
Beam:Spot/Flood
Size(LxHxT):4 inch
Number per ctn:
Ctn size:



NDA9A-72

Power:72W
Beam:Spot/Flood
Size(LxHxT):4 inch
Number per ctn:
Ctn size:



WDA9B-72

Power:72W
Beam:Spot/Flood
Size(LxHxT):4 inch
Number per ctn:
Ctn size:



WDB0-114

Power:114
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:
Ctn size:



WDB2-36-Flash

Power:36W Flash
Beam:Spot/Flood
Size(LxHxT):4 inch
Number per ctn:
Ctn size:



NDA4-48-Flash

Power:48W Flash
Beam:Spot/Flood
Size(LxHxT):4 inch
Number per ctn:
Ctn size:



MDB5-36-Flash

Power:36w Flash
Beam:Spot/Flood
Size(LxHxT):4 inch
Number per ctn:
Ctn size:



MDB6-36-Flash

Power:36w Flash
Beam:Spot/Flood
Size(LxHxT):117x132x55mm
(4 inch)
Number per ctn:20
Ctn size:34.5x32x26cm



MDB7-48-Flash

Power:48W Flash
Beam:Spot/Flood
Size(LxHxT):4 inch
Number per ctn:
Ctn size:



NDC3-75

Power:75W
Beam:Spot/Flood
Size(LxHxT):125x155x54mm
(4 inch)
Number per ctn:
Ctn size:



NDC5B-36

Power:36W
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:
Ctn size:



NDC6B

Power:
Beam:Hi-Low beam
Size(LxHxT):
Number per ctn:
Ctn size:



WDC6-50

Power:50W
Beam:Hi-Low beam
Size(LxHxT):5 inch
Number per ctn:
Ctn size:



NDC8-72

Power:72W
Beam:Flood
Size(LxHxT):4 inch
Number per ctn:
Ctn size:



WDC9-72

Power:72W
Beam:Spot/Flood
Size(LxHxT):4 inch
Number per ctn:
Ctn size:



NDD1-54

Power:54w
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:
Ctn size:



WDD3

Power:
Beam:Hi-Low beam
Size(LxHxT):9 inch
Number per ctn:
Ctn size:



WDD5-72

Power:72W
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:
Ctn size:



NDG2A-30

Power:30W
Beam:
Size(LxHxT):
Number per ctn:
Ctn size:



NDF6-20

Power:20
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:
Ctn size:



WDF7-40

Power:40W
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:
Ctn size:



WDF8-40

Power:40W
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:
Ctn size:



WDG2B-40

Power:40W
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:
Ctn size:



NDG3A-30

Power:30w
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:
Ctn size:



WDG4

Power:
Beam:Hi-Low beam
Size(LxHxT):9 inch
Number per ctn:
Ctn size:



NDG5-F4G

Power:
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:
Ctn size:



NDG5-F5G

Power:
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:
Ctn size:



WDH2

Power:
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:
Ctn size:



WDH3

Power:
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:
Ctn size:



WZ1-18

Power:18W
Beam:Spot/Flood
Size(LxHxT):117x137x38mm
Number per ctn:28
Ctn size:34.5x32x26cm



WZ2-15

Power:15w
Beam:Spot/Flood
Size(LxHxT):108x140x38mm
Number per ctn:28
Ctn size:34.5x32x26cm



WZ3-24

Power:24W
Beam:Spot/Flood
Size(LxHxT):118x141x40mm
Thick:42/45mm
Number per ctn:28
Ctn size:34.5x32x26cm



WZ4-24

Power:24W
Beam:Spot/Flood
Size(LxHxT):108X137X46mm
Thick:40/45/47mm
Number per ctn:28
Ctn size:34.5x32x26cm



WZ5-27

Power:27W
Beam:Spot/Flood
Size(LxHxT):117x132x55mm
Thick:27/32/37/50/52/55/59
mm
Number per ctn:20
Ctn size:34.5x32x26cm



WZ6-27

Power:27W
Beam:Spot/Flood
Size(LxHxT):108x113x55mm
Thick:27/32/37/50/52/55/59
mm
Number per ctn:20
Ctn size:34.5x32x26cm



WZ5-27GQ

Power:27W
Beam:Spot/Flood
Size(LxHxT):117x132x55mm
Thick:27/32/37/50/52/55/59
mm
Number per ctn:20
Ctn size:34.5x32x26cm



WZ6-27GQ

Power:27W
Beam:Spot/Flood
Size(LxHxT):108x113x55mm
Thick:27/32/37/50/52/55/59
mm
Number per ctn:20
Ctn size:34.5x32x26cm



WZ7-18



Power:18W
Beam:Spot/Flood
Size(LxHxT):158x45mm
Thick:32/39/46/56mm
Number per ctn:40
Ctn size:34.5x32x26cm



WZ7-18-5G

Power:18w
Beam:Spot/Flood
Size(LxHxT):110x33x32mm
Number per ctn:60
Ctn size:34.5x32x26cm

WZ7B-18



Power:18W
Beam:Spot/Flood
Size(LxHxT):194x60mm
Thick:40/47mm
Number per ctn:40
Ctn size:42x28.5x29.5cm



WZ7C-18

Power:18W
Beam:Spot/Flood
Size(LxHxT):151X44X42mm
Number per ctn:50
Ctn size:35.5x27x40cm

WZ7A-48



Power:48W (Bi color)
Beam:Spot/Flood
Size(LxHxT):151x39x42m
Number per ctn:50
Ctn size:35.5x27x40cm



WZ7-30

Power:30W (Bi color)
Beam:Spot/Flood
Size(LxHxT):151x39x42mm
Number per ctn:50
Ctn size:35.5x27x40cm

WZ7-54-10G



Power:54W
Beam:Spot/Flood
Size(LxHxT):152x46x39mm
Number per ctn:50
Ctn size:35.5x27x40cm



WZ7B-54-10G

Power:54W
Beam:Spot/Flood
Size(LxHxT):194x60x40mm
Number per ctn:50
Ctn size:35.5x27x40cm



WZ7-18-11G



Power:18W
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:
Ctn size:



WZ7-84-21G

Power:84w
Beam:Flood
Size(LxHxT):
Number per ctn:
Ctn size:

WZ7-72



Power:72W
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:
Ctn size:



WZ7-72-Flash

Power:72W(Bi color)
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:
Ctn size:

WZ7-54-23G



Power:54W
Beam:Spot/Flood
Size(LxHxT):151x39x42m
Number per ctn:50
Ctn size:35.5x27x40cm



WZ7-48-24G

Power:48W
Beam:Spot/Flood
Size(LxHxT):158x46x39mm
Number per ctn:40
Ctn size:34.5x32x30.5cm

WZ7-18-29D



Power:18W
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:
Ctn size:



WZ8-50

Power:50W
Beam:Spot/Flood
Size(LxHxT):160x128x76mm
Number per ctn:12
Ctn size:37.5x30.5x29cm



WZ9B-18

Power:18w
Beam:Spot/Flood
Size(LxHxT):157x86x37mm
Number per ctn:20
Ctn size:34.5x32x26cm



WZ9-20

Power:20W
Beam:Spot/Flood
Size(LxHxT):114x91x53mm
Thick:47/54mm
Number per ctn:20
Ctn size:34.5x32x26cm



WZ9-09

Power:9W
Beam:Spot/Flood
Size(LxHxT):114x91x47mm
Number per ctn:20
Ctn size:34.5x32x26cm



WA0-15

Power:15W
Beam:Spot/Flood
Size(LxHxT):145x45x70mm
Number per ctn:40
Ctn size:34.5x32x30.5cm




WA1B-51

Power:51W
Beam:Spot/Flood
Size(LxHxT):176x225x46mm
(7inch)
Number per ctn:8
Ctn size:48x43.5x23.5cm



WA1-51

Power:51W
Beam:Spot/Flood
Size(LxHxT):176x225mm
(7inch)
Thick:34/60/67/88mm
Number per ctn:8
Ctn size:48x43.5x23.5cm



WA1F

Power:
Beam:Hi-Low beam
Size(LxHxT):
Number per ctn:
Ctn size:



WA3-10

Power:10W
Beam:Spot
Size(LxHxT):68X92X55mm
(3 inch)
Number per ctn:20
Ctn size:34.5x32x26cm



WA4-12

Power:12W
Beam:Spot/Flood
Size(LxHxT):82x90mm(3 inch)
Thick:52/64/73mm
Number per ctn:30
Ctn size:34.5x32x28cm



NA4G-24

Power:24W
Beam:Spot/Flood
Size(LxHxT): 3 inch
Number per ctn:
Ctn size:



WA4GB-24

Power:24W
Beam:Spot/Flood
Size(LxHxT):3 inch
Number per ctn:
Ctn size:



WA4H-48

Power:48W
Beam:Spot/Flood
Size(LxHxT):3 inch
Thick:52/65mm
Number per ctn:
Ctn size:



WA4HB-48

Power:48W
Beam:Spot/Flood
Size(LxHxT):3 inch
Thick:52/65mm
Number per ctn:
Ctn size:



WA4B-12

Power:12W
Beam:Spot/Flood
Size(LxHxT):122x90(5 inch)
Thick:52/64/73mm
Number per ctn:24
Ctn size:34.5x32x28cm



WA5-18

Power:18W
Beam:Spot/Flood
Size(LxHxT):82x90mm(3 inch)
Thick:50/65/75mm
Number per ctn:30
Ctn size:34.5x32x28cm



WA5B-18

Power:18w
Beam:Spot/Flood
Size(LxHxT):122x90mm
(5 inch)
Thick:50/65/75mm
Number per ctn:24
Ctn size:34.5x32x28cm



WA6-27

Power:27W
Beam:Spot/Flood
Size(LxHxT):167x148x73mm
(7 inch)
Number per ctn:12
Ctn size:37.5x30.5x29cm



NB0-60

Power:60W
Beam:Spot/Flood
Size(LxHxT):135x170x123mm
(5 inch)
Thick:77/125mm
Number per ctn:8
Ctn size:43x37.5x35.5cm



NB4-10

Power:10W
Beam:Spot/Flood
Size(LxHxT):56X82X68mm
(2 inch)
Number per ctn:50
Ctn size:34.5x32x26cm



WB5-10

Power:10W
Beam:Spot/Flood
Size(LxHxT):50X80X59mm
(2 inch)
Number per ctn:50
Ctn size:34.5x32x26cm



NB6-12

Power:12W
Beam:Spot/Flood
Size(LxHxT):82x100mm
(3 inch)
Thick:72/65mm
Number per ctn:30
Ctn size:34.5x32x28cm



NB8-42

Power:20W
Beam:Spot/Flood
Size(LxHxT):117x138x55mm
(4 inch)
Number per ctn:20
Ctn size:34.5x32x26cm



NC0-40

Power:40W
Beam:Spot/Flood
Size(LxHxT):108x138mm
(4 inch)
Thick:68/50mm
Number per ctn:16
Ctn size:34.5x32x26cm



WC1-70

Power:70w
Beam:Spot/Flood
Size(LxHxT):152x170x105mm
(6 inch)
Number per ctn:8
Ctn size:43x37.5x35.5cm



NC2-27

Power:27W
Beam:Spot/Flood
Size(LxHxT): 117x132x40mm
(4 inch)
Number per ctn:20
Ctn size:34.5x32x26cm



WC3-33

Power:33W
Beam:Spot/Flood
Size(LxHxT):160X128X76mm
(7 inch)
Number per ctn:12
Ctn size:37.5x30.5x29cm



NC5-45

Power:45W
Beam:Spot/Flood
Size(LxHxT):165X127X83mm
(7 inch)
Number per ctn:30
Ctn size:65.5x37.5x29cm



NC7-9

Power:9W
Beam:Spot/Flood
Size(LxHxT):90x121x56mm
(3 inch)
Number per ctn:50
Ctn size:54.5x33x25.6cm



WD4-24

Power:24W(White,Orange)
Beam:Spot,Flood
Size(LxHxT):152x91x60mm
(6 inch)
Number per ctn:16
Ctn size:34.5x32x26cm




WC9-18

Power:18w
Beam:Spot/Flood
Size(LxHxT):110x100x42mm
(4 inch)
Number per ctn:100
Ctn size:57x25x54.5cm



ND0-36

Power:36W
Beam:Hi-low beam
Size(LxHxT): 145x153x80mm
(6 inch)
Number per ctn:12
Ctn size:37.5x30.5x29cm



WD1A-45-GQ

Power:10W
Beam:Spot
Size(LxHxT):168X108mm
(7 inch)
Thick:45/70/78mm
Number per ctn:12
Ctn size:37.5x30x29cm



WD1B-50

Power:50W(White,Red,Blue)
Beam:Spot/Flood
Size(LxHxT):168X135X77mm
(7 inch)
Number per ctn:30
Ctn size:65.5x37.5x29cm



WD2-36

Power:36W
Beam:Spot/Flood
Size(LxHxT):145x153x80mm
(5 inch)
Number per ctn:12
Ctn size:37.5x30.5x29cm



WD3-25

Power:25W
Beam:Spot/Flood
Size(LxHxT):78X95X94mm
(3 inch)
Number per ctn:24
Ctn size:34.5x32x28cm



WD5-9

Power:9W
Beam:Spot/Flood
Size(LxHxT):82X87X51mm
(3 inch)

Number per ctn:

Ctn size:



WD7-60

Power:60w
Beam:Spot/Flood
Size(LxHxT):140x190x91mm
(5 inch)

Number per ctn:6

Ctn size:37.5x31x21.5cm



WD8-24

Power:24W
Beam:Spot/Flood
Size(LxHxT):150x127x47mm
(5x7 inch)

Number per ctn:30

Ctn size:58x32.5x19.5cm



ND9-36

Power:36W
Beam:Spot
Size(LxHxT):165X144X50mm
(5x7 inch)

Number per ctn:30

Ctn size:44x37.7x34.5cm



WE1-25

Power:25W
Beam:Spot/Flood
Size(LxHxT):107x129x85mm
(4 inch)

Number per ctn:12

Ctn size:



WE2-72

Power:72W
Beam:Spot/Flood
Size(LxHxT):

Number per ctn:

Ctn size:



WE3-96

Power:96W(Red,Black)
Beam:Spot/Flood
Size(LxHxT):225X250mm
Thick:27/87mm

Number per ctn:10

Ctn size:52x34x24.5cm



NE3-96-TG

convex lens

Power:96W(Red,Black)
Beam:Spot/Flood

Size(LxHxT):225X250mm
Thick:27/87mm

Number per ctn:10

Ctn size:52x34x24.5cm



WE3-160

Power:160W(Red,Black)
Beam:Spot/Flood
Size(LxHxT):225X250mm
Thick:27/87mm
Number per ctn:10
Ctn size:52x34x24.5cm



WE4B-20

Power:20w(Orange,White)
Beam:Spot/Flood
Size(LxHxT): 97x93x77mm
(4 inch)
Number per ctn:30
Ctn size:34.5x32x28.5cm



WE4-20

Power:20W
Beam:Spot/Flood
Size(LxHxT): 97x93mm
(4 inch)
Thick:77/70mm
Number per ctn:30
Ctn size:34.5x32x28.5cm



WE4C-20

Power:20w
Beam:Spot/Flood
Size(LxHxT): 97x93x70mm
(4 inch)
Number per ctn:30
Ctn size:34.5x32x28.5cm



WE4D-15

Power:15W
Beam:Spot/Flood
Size(LxHxT):97x93X69mm
(4 inch)
Number per ctn:30
Ctn size:34.5x32x28cm



WE5-21

Power:21W
Beam:Spot/Flood
Size(LxHxT):114x156x62mm
(4 inch)
Number per ctn:40
Ctn size:50x36x32cm



WE6-12

Power:12W
Beam:Spot/Flood
Size(LxHxT):92x120x52mm
Number per ctn:50
Ctn size:54.5x33x25.6cm



WE7-40

Power:20W
Beam:Spot/Flood
Size(LxHxT):148x123x68mm
(5 inch)
Number per ctn:12
Ctn size:37.5x30.5x29cm



WE8-60

Power:60W
Beam:Spot/Flood
Size(LxHxT):180x143x88mm
(5x7 inch)
Number per ctn:12
Ctn size:37.5x30.5x29cm



NF5-185-TG

Power:185W
Beam:Spot/Flood
Size(LxHxT):225X250X87mm
(9 inch)
Number per ctn:8
Ctn size:48x43.5x23.5cm



WE9-304

Power:30W
Beam:Spot/Flood
Size(LxHxT): 118x148x114mm
(5 inch)
Number per ctn:12
Ctn size:41x32x26cm



NF0-21

Power:21W
Beam:Spot
Size(LxHxT):111X128X65mm
(4 inch)
Number per ctn:20
Ctn size:34.5x32x26cm



WF2-63

Power:63W(Red,Black)
Beam:Spot/Flood
Size(LxHxT):160x202mm
(7 inch)
Thick:68/58/33mm
Number per ctn:8
Ctn size:48x43.5x23.5cm



WF3-40

Power:40W
Beam:Spot/Flood
Size(LxHxT):140x170(5 inch)
Thick:60/92mm
Number per ctn:16
Ctn size:48x35x38.5cm



WF4-60

Power:60W
Beam:Spot/Flood
Size(LxHxT):180X210mm
(7 inch)
Thick:60/90mm
Number per ctn:8
Ctn size:53.5x43x24.5cm



NF5-185W

Power:185W
Beam:Spot/Flood
Size(LxHxT):225X250X87mm
(9 inch)
Number per ctn:8
Ctn size:48x43.5x23.5cm



WF6-24

Power:24w
Beam:Spot/Flood
Size(LxHxT):150x116mm
(6 inch)
Thick:70/100mm
Number per ctn:30
Ctn size:60x33.5x33cm



NF7A-18

Power:18W
Beam:Spot/Flood
Size(LxHxT):89x94x58mm
(3.5 inch)
Number per ctn:30
Ctn size:34.5x32x28cm



NF7B-18

Power:18W
Beam:Spot/Flood
Size(LxHxT):123X94X55mm
(5 inch)
Number per ctn:20
Ctn size:34.5x32x26cm



NF7E-18

Power:18W
Beam:Spot/Flood
Size(LxHxT):89x94x58mm
(3.5 inch)
Number per ctn:30
Ctn size:34.5x32x28cm



WF9-70

Power:18W
Beam:Spot/Flood
Size(LxHxT):89x94x58mm
(3.5 inch)
Number per ctn:30
Ctn size:34.5x32x28cm



WG0-18

Power:18W
Beam:Spot/Flood
Size(LxHxT):111x100x52mm
(4 inch)
Number per ctn:50
Ctn size:54.5x33x25.6cm



WG1-36

Power:36w
Beam:Spot/Flood
Size(LxHxT):168x108x70mm
(7 inch)
Number per ctn:30
Ctn size:65.5x37.5x29cm



NG2-10

Power:10W
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:
Ctn size:



NG2-15

Power:15W
Beam:Spot
Size(LxHxT):
Number per ctn:
Ctn size:



WGAA6-20

Power:20W
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:
Ctn size:



NGAA6-40

Power:40W
Beam:Spot/Flood
Size(LxHxT):
Thick:
Number per ctn:
Ctn size:



NG3-54

Power:54W
Beam:Spot/Flood
Size(LxHxT):180X210x57mm
(7 inch)
Number per ctn:8
Ctn size:48x43.5x23.5cm



WG3-90

Power:90W
Beam:Spot/Flood
Size(LxHxT):180X210x57mm
(7 inch)
Number per ctn:8
Ctn size:48x43.5x23.5cm



WG4-90

Power:90W
Beam:Spot/Flood
Size(LxHxT):180x210x57mm
(7 inch)
Number per ctn:8
Ctn size:48x43.5x23.5cm



WG5A-45

Power:45w
Beam:Hi-low beam
Size(LxHxT):200x140mm
Thick:65/80mm
Number per ctn:20
Ctn size:48x35x38.5cm



NG5B-45

Power:45w
Beam:Hi-low beam
Size(LxHxT):200x140mm
Thick:65/80mm
Number per ctn:20
Ctn size:48x35x38.5cm



NG5C-45

Power:45w
Beam:Hi-low beam
Size(LxHxT):200x140mm
Thick:65/80mm
Number per ctn:20
Ctn size:48x35x38.5cm



WG5F-45

Power:45W
Beam:Hi-low beam
Size(LxHxT):200x140mm
Thick:50/74mm
Number per ctn:20
Ctn size:48x35x38.5cm



WG5D-39

Power:39W
Beam:Hi-low beam
Size(LxHxT):200x140x77mm
Number per ctn:20
Ctn size:48x35x38.5cm



WG5E-90

Power:90W
Beam:Hi-low beam
Size(LxHxT):200x140x77mm
Number per ctn:20
Ctn size:48x35x38.5cm



NAZ3-51 MINI

Power:51W
Beam:Spot/Flood
Size(LxHxT):145x165x59mm
(5 inch)
Number per ctn:12
Ctn size:34.5x32x28cm

:



WAC8-114

Power:114W
Beam:Spot/Flood
Size(LxHxT):160x128x76mm
Number per ctn:12
Ctn size:37.5x30.5x29cm



NG6-45

Power:45w
Beam:Hi-low beam
Size(LxHxT):168x108x70mm
Number per ctn:12
Ctn size:37.5x30.5x29cm



WG7-65

Power:65W
Beam:Hi-low beam
Size(LxHxT):200x140x74mm
Number per ctn:20
Ctn size:48x35x38.5cm



WG8-18

Power:18W
Beam:Spot/Flood
Size(LxHxT):90x110x48mm
(3.5 inch)
Number per ctn:120
Ctn size:58x47x31.5cm



WG9-24

Power:24W
Beam:Spot/Flood
Size(LxHxT):90x114x48mm
(3.5 inch)
Number per ctn:120
Ctn size:58x47x31.5cm



WH0-225

Power:225W
Beam:Spot/Flood
Size(LxHxT):225X250X87mm
(9 inch)
Number per ctn:8
Ctn size:48x43.5x23.5cm



NH1-27

Power:27W
Beam:Spot/Flood
Size(LxHxT):104x134x60mm
(4 inch)
Number per ctn:40
Ctn size:50x36x32cm



WH2-24

Power:20W
Beam:Spot/Flood
Size(LxHxT):142x98x54mm
Number per ctn:20
Ctn size:34.5x32x26cm



WH3-45

Power:45W
Beam:Spot/Flood
Size(LxHxT):168x134x74mm
Number per ctn:30
Ctn size:65.5x37.5x29cm



WH3B-45

Power:45W
Beam:Spot/Flood
Size(LxHxT):168x134x74mm
Number per ctn:30
Ctn size:65.5x37.5x29cm



WH4-12

Power:12W
Beam:Spot/Flood
Size(LxHxT): 76x78x48mm
(3 inch)
Number per ctn:50
Ctn size:54.5x33x25.6cm



NH5A-12

Power:12W
Beam:Spot/Flood
Size(LxHxT):82x106x51mm
(3 inch)
Number per ctn:50
Ctn size:54.5x33x25.6cm



WH5B-12

Power:12W
Beam:Spot/Flood
Size(LxHxT):82x106x51mm
(3 inch)
Number per ctn:50
Ctn size:54.5x33x25.6cm



WH6C-9

Power:12W
Beam:Spot/Flood
Size(LxHxT):82x106x51mm
(3 inch)
Number per ctn:50
Ctn size:54.5x33x25.6cm



WH5D-12

Power:12W
Beam:Spot/Flood
Size(LxHxT):82x106x51mm
(3 inch)
Number per ctn:50
Ctn size:54.5x33x25.6cm



WH6A-9

Power:9W
Beam:
Size(LxHxT):82x106x51mm
(3 inch)
Number per ctn:50
Ctn size:54.5x33x25.6cm



WAC9-80

Power:9W
Beam:
Size(LxHxT):82x106x51mm
(3 inch)
Number per ctn:50
Ctn size:54.5x33x25.6cm



WAZ5-12

Power:12W
Beam:Spot
Size(LxHxT):66x93x47mm
(3 inch)
Number per ctn:50
Ctn size:34.5x32x26cm



WH7-15

Power:15W
Beam:Spot/Flood
Size(LxHxT): 83x110x37mm
(3 inch)
Number per ctn:30
Ctn size:34.5x32x28cm



WH7-18

Power:18W
Beam:Spot/Flood
Size(LxHxT): 83x110x37mm
(3 inch)
Number per ctn:30
Ctn size:34.5x32x28cm



WH7-24

Power:24W
Beam:Spot/Flood
Size(LxHxT): 83x110x37mm
(3 inch)
Number per ctn:30
Ctn size:34.5x32x28cm



NH7-27

Orange, claer lens choice
Power:27W
Beam:Spot/Flood
Size(LxHxT): 83x110x37mm
(3 inch)
Number per ctn:30
Ctn size:34.5x32x28cm



WH8A-30

Power:30W
Beam:Spot/Flood
Size(LxHxT):120x121x60mm
(5 inch)
Number per ctn:20
Ctn size:34.5x32x26cm



WH8B-30

Power:30W
Beam:Spot/Flood
Size(LxHxT):120x121x60mm
(5 inch)
Number per ctn:20
Ctn size:34.5x32x26cm



WH9A-30

Power:30W
Beam:Spot/Flood
Size(LxHxT):115x146x63mm
(4 inch)
Number per ctn:20
Ctn size:34.5x32x26cm



WH9B-30

Power:30W
Beam:Spot/Flood
Size(LxHxT):115x146x63mm
(4 inch)
Number per ctn:20
Ctn size:34.5x32x26cm



WI0-45

Power:45W
Beam:Spot/Flood
Size(LxHxT): 160x132x78mm
(5 inch)
Number per ctn:30
Ctn size:65.5x37.5x29cm



NI1A-63

Power:63W
Beam:Spot/Flood
Size(LxHxT):222x148x66mm
(9 inch)
Number per ctn:12
Ctn size:37.5x30.5x29cm



WI1B-180

Power:12W
Beam:Hi-low beam
Size(LxHxT):222x148x66mm
(9 inch)
Number per ctn:12
Ctn size:37.5x30.5x29cm



NI2-27

Power:27W
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:
Ctn size:



MI3-30

Power:30W
Beam:Spot/Flood
Size(LxHxT):85x96x103mm
Number per ctn:24
Ctn size:34.5x32x28cm



NI4-18

Power:18W
Beam:
Size(LxHxT):
Number per ctn:
Ctn size:



WI5-24

Power:24W
Beam:Spot/Flood
Size(LxHxT):
Number per ctn:
Ctn size:



VI6-9

Power:9w
Beam:Spot/Flood
Size(LxHxT):87x38x36mm
(3.5inch)
Number per ctn:50
Ctn size:34.5x32x26cm



WAB0-63

Power:63W
Beam:Spot/Flood
Size(LxHxT):175x210x64mm
(7 inch)
Number per ctn:8
Ctn size:48x43.5x23.5cm



WAB7-80

Power:80W
Beam:Spot/Flood
Size(LxHxT):134x146x66mm
Number per ctn:12
Ctn size:



WAC3-36

Power:36W
Beam:Spot/Flood
Size(LxHxT):125x100x85mm
(5 inch)
Number per ctn:12
Ctn size:34.5x32x38cm



WAC7-20

Power:20W
Beam:Spot/Flood
Size(LxHxT):95x85x77mm
(4 inch)
Number per ctn:20
Ctn size:45x44x22cm



WAZ8-27

Power:27W
Beam:Spot/Flood
Size(LxHxT):137x150x66mm
Number per ctn:
Ctn size:



WAA1-36

Power:36W
Beam:Spot/Flood
Size(LxHxT):153x103x48mm
(6 inch)
Number per ctn:60
Ctn size:52x37x37cm